

LABQUIP

Lab Equipment Specialist

Years in Business



































































































>> General Laboratory >> Benchtop Equipment

STIRRLB

Centrifuges













Versatile RefrigeratedLab Centrifuge

High Speed Refrigerated Centrifuge

Doctor Centrifuge

Vortex Mixer







Digital Vortex Mixer



Multi Tube Vortexer



Tube Roller

Magnetic Stirrer



Slim Electromagnetic Stirrer



4 Slim Electromagnetic Stirrer



High Capacity Stirrer



Analog Magnetic Stirrer



Hot Plate Magnetic Stirrer

Platform shaker

KS-10 / KS-20 Platform Shaker

Overhead Stirrer



Overhead Stirrer OSJ-8, OSJ-15, OSJ-20, OSJ-40



Overhead Stirrer OSJ-50, OSJ-75, OSJ-100

Rotator



Disk Rotator

Digital Plate Rotator









>> General Laboratory >> Liquid Handling

STIRRLAB












Electronic pipette

Pipette Controller

Mechanical Pipettes









Serological Pipettes

PCR Consumables

micropipette tips

Petri plates













Funnel Buchner

Measuring Cylinders

Conical Flasks

Beakers







Parafilm M



Vaccum Aspiration



Bottle Top Dispenser



Pipette Stand



>> General Laboratory >> Blenders



Model: 8011 Series Blender without Timer

- capacity: 1liter / 1.2 Liter
- Switch setting: 2Speed: 18000 22000 RPM
- Base: Epoxy Coated Motor Housing
- Container : Available container with handle & Lid
- 8011S Stainless Steel Container
- 8011G Glass Container



- Speed: 18000 22000 RPM
- Base : Epoxy Coated Motor Housing
- Container : Available container with
- 800G Glass Container



- capacity: 4 Liter
- Switch setting : 3-speed plus Pulse Electronic Membrane Keypad Base : Epoxy Coated Motor Housing
- · Container: Available container with two handle & Lid
- CB15E Stainless Steel Container
- CB15TE Stainless Steel Container with timer 3 minutes
- CB15VXE Stainless Steel Container with adjustable speeds , built in RPM



- capacity: 2 Liter
- Speed: Paddle Switch with Pulse
- MX1050XTX Electronic Touchpad
- MX1500XTX Reprogrammable, Adjustable Speed control with sound enclosure





Model: 8010 Series Blender with Timer

- capacity: 1liter / 1.2 Liter
- Switch setting: 2
- Speed: 18000 22000 RPM
- Timer: 60 seconds mechanical timer
- Base : Epoxy Coated Motor Housing Container: Available container with
- handle & Lid
- 8010S Stainless Steel Container8010G Glass Container







- capacity: 1liter / 1.2 Liter
- Switch setting: 2

- handle & Lid
- 800S Stainless Steel Container







- capacity: 1liter / 1.2 Liter
- Switch setting : Variable
- Speed : Torque 500 20000 RPM
- Base : Die-cast , Epoxy Coated Motor Housing
- Container : Available container with handle & Lid
- LB20ES Stainless Steel Container
 LB20EG Glass Container



- capacity : 1.5 Liter Switch setting : Toggle / Electronic / Variable Speed control
- Speed: 1000 17000 RPM . Pulse max 24000 RPM
- TBB145E Toggle Switch control TBB160E Electronic Touchpad controls with 60 seconds timer
- TBB175F Flectronic Touchpad controls with Variable speed control











Model: MX Series

- Switch setting : 2
- Container : BPA-Free Copolyester container with handles
- MX1000XTX Paddle Switch with pulse
- MX1100XTX Electronic with Pulse Timer
 MX1200XTX Variable Speed





Model: WFP16SCDE Food Processor

- 2 peak input HP commercial motor
- Die-cast housing
- 3.75-liter, unbreakable, clear-view batch bowl with LiquiLock® Seal System
- Continuous-feed chute for large-volume processing
- ON, OFF and PULSE push-button controls



Model: WFP14SE Food Processor

- 1 HP motor
- 3.3-liter, unbreakable, clear-view batch bowl with LiquiLock® Seal System for processing liquids
- Easy ON, OFF and PULSE control paddles
 Extra-large feed tube and pusher

Available in:













>> General Laboratory >> Circulating Bath >> Waterbath >> Chillers >> Coolers



Refrigerated / Heated Circulating Bath



Advanced Digital



Advanced Programmable



MX



Standard Digital

Waterbath



2 Litres



5 Litres



10 Litres



20 Litres



28 Litres

Chillers



0.4 - 1.3 kw cooling



0.7 - 2.9 kw cooling



4 - 11 kw cooling

Coolers



Turbine Pump





>> General Laboratory >> Ultrasonic Cleaners



Efficient and User-Friendly Ultrasonic Cleaner for Dental and Surgical Instruments

This ultrasonic cleaner is designed to operate at maximum efficiency regardless of water levels. It has an inbuilt protective mechanism against thermal shock and empty tank operation, ensuring reliable and safe use. The touch control keypad and display make it easy to use, with a programmable silent key press for the countdown timer, water temperature, and power level.

Using ultrasonic technology, this cleaner delivers precise and thorough cleaning, making it the most effective method for removing fine foreign soil from crevices and all areas of dental and surgical instruments. Additionally, it can remove stubborn soil and blood contaminants without damaging the instruments. Compared to conventional cleaning methods, this ultrasonic cleaner can clean in a fraction of the time, reducing overall operational and running costs.



Digital Benchtop Ultrasonic Cleaners

Model	Bath Size (mm)	Capacity (L)	Unit Size (mm)	PSP (watts)	Heater (watts)	Net Weight (kg)
80TD	235x138x65	1.60	279x219x170	60	-	2.70
120TD	153x138x100	2.00	180x219x179	60	-	2.40
160TD , 160HD	235x138x100	3.00	279x219x170	70	100	3.00
250TD , 250HD	295x150x150	6.00	338x234x230	120	200	4.00
500TD , 500HD	298x238x150	10.00	338x323x230	130	200	4.60
800TD , 800HD	300x330x150	15.0	400x390x230	250	200	6.10
1000TD , 1000HD	495x295x150	20.0	545x380x240	250	400	7.60
2000TD , 2000HD	495x295x200	30.0	545x382x290	350	400	10.1
3000TD , 3000HD	620x495x200	60.0	680x600x310	600	1600	17.6
3800TD , 3800HD	600x500x300	90.0	712x591x419	650	1600	21.0

Soniclean offers a wide range of Cleaning Detergents and Accessories designed for its ultrasonic products. The detergents are specifically formulated for optimal performance with Soniclean machines, while the accessories, including performance meters, lids, baskets, trays, and holders, cater to diverse customer needs.











>> General Laboratory >> Life Science

SPECTRO-UV

Lab & Life Science - FLUORESCENE ANALYSIS WORKSTATION



Portable Handheld UV 365nm



Fluorescence Analysis Viewing Cabinet



Portable backlight inspection lamp for fluorescent minerals



Portable Handheld backlight lamp UV 365nm



UV Bench lamp



Rechargeable backlight handheld Fluorescent Inspection lamp

>> Life Science >> UV Transilluminator





bench-top UV Transilluminator



SmartView Transilluminator







>> Biotechnology & Life Science



FreeZone 2.5 Liter -50C / -84C **Benchtop Freeze Dryers**

FreeZone 2.5 Liter Benchtop Freeze Dryers are designed for lyophilizing light sample loads. The compact design is ideal for labs with limited floor space. The upright stainless steel collector coil holds 2.5 liters of ice before defrosting.

- A single 1/3 hp HCFC/CFC-free refrigeration system cools the collector to -50° C (-58° F), suitable for aqueous samples.
- Two 1/3 hp HCFC/CFC-free refrigeration systems cool the collector to -84° C (-119° F), suitable for samples with low eutectic points including acetonitrile.

FreeZone 4.5 Liter -50C / -84C / -105C **Benchtop Freeze Dryers**



FreeZone 4.5 Liter Benchtop Freeze Dryers are designed for lyophilizing light to moderate sample loads. The compact design is ideal for labs with limited floor space. The upright stainless steel collector coil holds 4.5 liters of ice before defrosting.

- A single 1/3 hp HCFC/CFC-free refrigeration system cools the collector to -50° C (-58° F), suitable for aqueous samples.
- Two 1/3 hp HCFC/CFC-free refrigeration systems cool the collector to -84° C (-119° F), suitable for low eutectic point samples including
- Two 1/2 hp HCFC/CFC-free refrigeration systems cool the collector to -105° C (-157° F) at 60 Hz or -102° C (-152° F) at 50 Hz, suitable for low eutectic point samples including acetonitrile and dilute methanol and ethanol.



FlaskScrubber Vantage Series Glassware Washers

FlaskScrubber Vantage Series Washers Glassware have specialized features contamination-sensitive research. They are designed to wash and dry narrow-neck and general purpose glassware. Able to reach wash temperatures up to 93° C (199° F) which can remove lipids and sanitizes glassware.





Lyo-Works™ OS provides a real time display of collector temperature, vacuum level and optional End-Zone™ end point detection system, shown on a 5" full color, capacitive touchscreen. Models with PTFF-coated collectors that can withstand corrosive compounds are available.

- Stay Connected
- View Real-Time Sample Data
- Get Consistent, High Quality Results
- **Make Challenging Samples Easy**



Laboratory Glassware Washers

Labconco glassware washers are designed with specialized features to provide superior cleaning, meeting the demands of laboratories



SteamScrubber Glassware Washers


SteamScrubber Glassware Washers are designed to wash and dry a wide variety of wide-mouth and general purpose labware. Utilizing a brilliant touchscreen display featuring CleanWorks OS, users have full control of wash parameters and washer settings. Able to reach a maximum wash temperature of 93° C (199° F), stubborn contaminates are easily removed. Heated air is forced into the chamber, effectively drying glassware to completion.



FlaskScrubber Glassware Washers

Designed for narrow-neck glassware such as volumetric and Erlenmeyer flasks. Alower spindle rack with 36 spindles (included) uses direct injection to clean labware inside and out. Optional specialized inserts to wash pipettes, BOD bottles, petri dishes, culture tubes, utensil, etc. are available.










>> Life Science >> Incubators



Innovative Life Sciences Tools



MS Hybridization Shaking Oven, MO-ARK (Rocking)



MS Hybridization Shaking Oven, MO-ARC (Reciprocal)



MS Hybridization Shaking Oven, MO-AOR (Orbital)

>> Life Science >> Dry Bath Incubators



Genius Dry Bath Incubator (MD-01N / MD-02N)



Ultimate Dry Bath Incubator (MC-01N)



Innovative Life Sciences Tools

Mini Heating Dry Bath Incubator (MD-MINI)

>> Life Science >> Dry Bath Block



Ultimate Dry Bath Blocks (MC-01N)



Elite & Genius Dry Bath Blocks



Mini Dry Bath Blocks



Innovative Life Sciences Tools

Metallic Thermal Beads









>> Life Science >> Heating Solution









Fabric Heating Mantle







Heating and Insulating Tops

Heating Tapes

Custom Heating

>> Evaporators











24 / 48 Positions Evaporators



Rotators



Shakers

>> Life Science >> Liquid NitrogenTank





Cryogenic Liquid Dewars



Cryosystem Aluminium Dewars



Cryoshipper Aluminium Dewars



CryoStock Series




CryoAutoSupply Series



CryoSalvum Series

>> Life Science >> Freezer & Chiller KALTE





LABQUIP

>> Life Science >> Ice Maker



Stainless Steel Shell Ice Maker



Split type Ice Maker

For full specification please contact -LabquipMalaysia

>> Life Science >> pH Meter / Conductivity Meter





P-510 Portable PH meter



L-510 Tablet pH Meter



P-310 pH Meter



T-710 Series pH Meter



P-511 Conductivity Meter



L-511 Conductivity Meter



P-311 Conductivity Meter



T-711 Series Conductivity Meter

>> Spectrophotometer



C-7100/7200 Series



E-1000UV



X-8200 Series



E-3000 Single Beam Series

>> Turbidity Meter



BT-4000S Benchtop Turbidity Meter



PT-4000S Portable Turbidity Meter

>> Colorimeter



BC-4000S Benchtop Colorimeter



PC-4000S Portable Colorimeter





>> Life Science >> Spectrometer

UPRtek



MK350S Premium

MK350S Premium is a full-featured Handheld Spectrometer used by lighting professionals with wide ranging projects and lighting challenges.

PG200N Spectral PAR Meter

The PG200N is a Spectral PAR meter used to measure the quantity and quality of light for a new generation of indoor farmers who use artificial lighting as a substitute or complement to sunlight.

MK350N Premium is the right fit

Practical, precise and abundant in essential features
The MK350N Premium, our popular mid-range
spectrometer, is made for professionals who want top
spectrometer performance without the need for
specialized niche features









MK550T Handheld Spectroradiometer

With the MK550T handheld spectroradiometer, anyone has access to cost-effective, lab-level instrumentation that can measure more than10x faster than other precision instrumentation.

>> Life Science >> Spectrophotometer



UPRtek MD-1000 Spectrophotometer









>> Life Science >> Balances

HEADAM



Nimbus® Heavy Duty Precision Balances



Solis Analytical an Semi-Micro Balances



Luna Analytical Balances



Nimbus® Analytical Balances



Solis Precision Balances



Luna Precision Balances

>> Life Science >> Balances





Moisture Analyzer



Microbalance



Precision Balance



Semi Microbalance



Analytical Balance



Table Top Scale



Counting Scale



Stainless Steel Scale



Waterproof Scale

>> Life Science >> Balances





Electronic Balance



Analytical Balance









>> Life Science >> Polarimeter





Professional Polarimeter



Digital Polarimeter



Manual Polarimeter

>> Life Science >> ultrasonic homogenizer



Homogenizer JOANLAB MHZ-01 / MHZ-02



Handheld Homogenizer



Ultrasonic Probe Sonicator

>> Life Science >> Rotary Evaporator



RE1000-E Pilot Scale Digital Control Rotary Evaporator



RE500-E Pilot Scale Digital Control Rotary Evaporator



RE100-Pro Digital Rotary Evaporator



RE200- Pro 20L Industrial Digital Rotary Evaporator







>> Biotechnology & Life Science >> Science education





EdvoCycler™ Jr. Personal PCR Machine

The EdvoCycler™ Jr. Personal PCR Machine is the newest member of our PCR family and is based on the advanced EdvoCycler™ 2 platform. The sleek form factor has been miniaturized with 16 wells to run individual PCR experiments. A vivid and intuitive touchscreen and onboard computer simplify operation by not requiring a secondary device.



QuadraSource™ Power Supply

Power any combination of EDVOTEK® electrophoresis units with this mighty power supply! Features an easy-to-use, full programmable interface for setting voltage, current or timer control with each parameter displayed in real-time. Programs may be paused or resumed at any point.



EdvoCycler™ 2 Classroom PCR Machine

The successor to the bestselling EdvoCycler $^{\text{TM}}$ has been redesigned with improved PCR technology to be the best value among classroom thermal cyclers. The EdvoCycler $^{\text{TM}}$ 2 doubles the capacity of the original at 48 wells and features an intuitive touchscreen.



EDGE™ PCR LabStation™



EDGE™ Integrated Electrophoresis System

>> Human & Animal Research Teaching Equipment >> Teaching & Research Science



SRS-100 Stimulus Response System



IX-EEG 10-20 system EEG Recorder



RS-EMG-SA: Small Animal EMG System



Intracardiac ECG System



ROAM Wireless ECG & Respiration



BMK-TA Behavioral Marketing Kit











>> Biotechnology & Life Science >> Pharmaceutical



Digital Tablet Hardness Tester



Tablet Tester with Five Parameter (Model: WWTDH-550)



Tablet Tester with Three Parameter (Model: DHT-250)



Motorised Tablet Hardness Tester (Model: DHT-150)



Portable Hardness Tester (Model: HT-30 / 50)

Tablet Disintegration Testers



Disso-Dissi Three in One Apparatus



Tablet Disintegration Tester (Model: TD-40S)



Tablet Disintegration Tester (Model: TD-20S)



Tablet Disintegration Tester (Model: TD-2)

Friability Testers




Digital Friabilator (Model: FT-20)



Digital Friabilator (Model: FTA-20)

Digital Melting Point Apparatus (Model : LMP-1)



Precision Melting Point Apparatus (Model: PMB-2)

Leak Test Apparatus



Leak Test Apparatus

Manual Hardness Tester



Tablet Hardness Tester Monsanto Type (Model: MHT-20)

Dissolution Testers

Melting Point Apparatus



Dissolution Tester -6 Station (Model: DR-6)



Dissolution Rate Test Apparatus (Model : DR-1)











>> Biotechnology & Life Science >> Pharmaceutical





SD Basic Spray Dryer

- A simple and effective entry-level laboratory scale spray dryer. As at home in Universities for training as it is in research and development facilities.
- · Efficient, accurate PID control
- · Aqueous-based solution processing
- Designed specifically for training, research, and pre-production trials
- Created with simplicity in mind basic, simple and straightforward to use
- Optional deblocking upgrade available, which clears the atomiser autonomously without supervision



SD 06 Spray Dryer

- The perfect all-in-one research solution, capable of running both aqueous and solvent-based solutions.
- Efficient, clear touchscreen
- PLC controlled
- · Capable of running aqueous and solvent-based solutions
- Spray drying of temperature-sensitive products
- · Easily adaptable for dual cyclone high-yield use
- · Automatically unblocks atomiser
- · A chemically resistant 316-grade stainless steel casing
- IP65 rated

SPRAY DRYER FEATURES

- · Reliable and maintenance-free
- Setup and run in under 10 minutes
- Customizable features, including the Automatic DeBlocking upgrade for the SD-Basic Spray Dryer
- Borosilicate glass shows the status of the Spray Drying process
- All Spray Dryer Machines have a proven performance with thousands of machines globally used
- Quick lead-times for staple accessories and glassware for UK and European customers
- Designed for research, training, and pre-production trials
- For Mainland England customers, LabPlant staff may be able to deliver and provide assistance during the first run
- Horizontal Spray Dryer design streamlined for use

APPLICABLE PRODUCT USES

- Ceramics & Advanced Materials
- Dairy Products
- Flavourings
- Food and Beverages
- Heat Sensitive Materials
- · Milk & Egg Products
- Perfumes
- Pharmaceuticals and Health-Research
- Plant & Vegetable Extracts
- Plastics and Polymers, Resins and Oxides
- Soaps & Detergents
- Spray Drying Plant Based and Agricultural Products









>> Lab Ventilation



Fume Hood & Enclosures





Discover the perfect laboratory fume hood solution for your unique needs from Labconco, one of the world's leading fume hood manufacturers. We offer extensive range of chemical fume hoods to support diverse applications:

- Chemical fume hoods safeguards your laboratory environment with unsurpassed chemical containment features
- Ductless fume hoods Offering flexibility, efficiency, and exceptional air filtration capabilities
- Floor-mounted fume hoods Combine optimal ventilation with a spacious interior for your application
- Special Application Fume Hoods PVC and stainless steel hoods for use with perchloric acid, acid digestion, radioisotopes. Or ask about custom chemical containment solutions.

Biological Safety Cabinets & Enclosures

Labconco offers biosafety cabinets appropriate for all biosafety level environments. Type A2, B2 and C1 Class II biosafety cabinets can accommodate BSL-2, BSL-3 and BSL-4 (with appropriate PPE), and Purifier Class I biosafety enclosures offer BSL-2 protection for applications that do not require product protection.

Purifier Logic+ Class II, Type A2 and Type B2 biological safety cabinets provide personnel, product and environmental protection from hazardous particulates. Type A2 cabinets recirculate HEPA filtered air, and Type B2 biosafety cabinets duct 100% of filtered air to the exterior.

Compliance

- ETL listed
- NSF International listed
- ADA-compliant (height of controls and receptacles)
- CE Conformity marking (230V models)
- ISO 5 conditions per ISO 14644-1 and 2
- Available size 3,4,5 & 6 feet width

Protector Filtered Glove Boxes

Protector Filtered Glove Boxes provide inlet and outlet HEPA or ULPA filtration and a leak-tight physical barrier to protect the operator from exposure to potentially hazardous materials.

These glove boxes feature particulate containment <20 nanograms per cubic meter as confirmed by Safebridge Consultants, Incorporated and also meet ISO Class 3 standards.





For full specification please contact -LabquipMalaysia





>> Lab Ventilation



LABORATORY FUME HOOD

DUCTLESS FUME HOOD

LAMINAR FLOW HOOD







CHEMICAL SAFETY CABINET



SCHONER Acid Corrosive Safety Cabinet



SCHONER Flammable Safety Cabinet









>> Safety and Emergency product

ESNICO®

Portable Eyewash Station



Portable Eyewash Station, Yellow, 14Gal, Model: ESW06014



Portable Eyewash with Cart, Yellow, 14Gal, Model: ESW06014-CA

Emergency Showers and Eyewashes



Emergency Shower and Eyewashes with Foot Pedal, Stainless Steel with Epoxy Coating, Standard, Model: ESW010YS-F



Emergency Shower and Eyewashes with Foot Pedal, Stainless Steel, Standard, Model: ESW010MS-F

Wall Mounted Eyewashes



Wall Mounted Eyewashes, Stainless Steel, Standard, Model: ESW020MS



Wall Mounted Eyewashes, Stainless Steel, High Configuration, Model: ESW020MH

Pedestal Eyewashes



Pedestal Evewashes with Foot Padel, Stainless Steel with Yellow Epoxy Coating, Standard, Model: ESW030YS-F



Pedestal Eyewashes, Stainless Steel with Yellow Epoxy Coating, High Configuration, Model: ESW030YH

Drench Shower



Drench Shower, Stainless Steel, Model: ESW050M



Drench Shower, Stainless Steel with Yellow Epoxy Coating, Model: ESW050Y

Deck Mounted Eyewashes



Deck Mounted Eyewashes, Stainless Steel with Yellow Epoxy Coating, High Configuration, Model: ESW040YH




Deck Mounted Eyewashes, Stainless Steel with Yellow Epoxy Coating, Standard, Model: ESW040YS







Rack / Trolley for Rat Cages



Water Feeding Bottle



Polycarbonate Mice Cage



Polypropylene Mice Cage



Animal Restrainer (Flat Bottom Style)



Animal Restrainer (Tail Access Type)



Polycarbonate Rat Cage



Polypropylene Rat Cage



Metabo**l**ic Cages



Metabolic Cages for Large Rodents



Diuresis Cages



Rabbit Caging



Guinea Pig Pans



Quail/Bird Cages



Hot Plate Analgesia Meter



Tail Flick Analgesia Meter




Paw Pressure Analgesia Meter



Rotarod Apparatus



Treadmill for Rodents



Infra-Red Actimeter



Grip Strength Meter



PI ethysmometer



Maze for All Maze Video Tracking



INDIVIDUALLY VENTILATED CAGING SYSTEM

- Safe & Easy Locking
- Card holder fitting on the edge gives visibility of animal inside the cage.
- External self centring water bottle enabling quick bottle change without removing cage.
- Easily Replaceable Breathing Filter
- Excellent Lid and Tray Stacking



Animal Care Product

Able Scientific offers a wide range of animal care products, including shipping containers and nutritious food, for animal laboratory needs.



Pura Enrichment Bedding





Hydration H20 Gel



Animal Shipping Container



Sutures



Animal Surgical Equipment

Scalpels, Blade & lancet



Gavage Needle / Feeding Needle



Animal Identification & labels







Cage Liners



Rodent Cages & Accessories



Animal Transfer Station



Bedding Disposal & Allergen Control



Lifting and Weighing for Animal



Humane Euthanasia



Multi-parameter Monitor for animal



Flexible Film Isolators



Surgery Table



VIRKON DISINFECTANT



F10SC VETERINARY **DISINFECTANT**



BioHazard & Autoclave bags





Hispatological Diagnosis



Minux® Rotary Microtomes



Minux® Rotary Cryostats

Lab Animal Research Equipment



Laser Speckle Imaging System



Stereotaxic Instruments



Single Cell Suspension Dissocator



Laboratory Animal Anesthesia Machines

Veterinary Medical Equipment



Veterinary Anesthesia Machines



Veterinary Monitors and Capnograph



Animal Ventilators



Veterinary Dental Solutions

Cell and Molecular Biology



C100 Automated Cell Counter



D180 CO2 Incubator



High Speed Centrifuge





RotaRod Test for Mice and Rats
IITC's Rotarod Treadmills are used to assess
the effect of drugs, motor coordination and
fatigue resistance on mice and rats using
one unit.



Animal Treadmill for Mice and Rats
The 800 Rodent Treadmill is a general purpose exerciser for mice and rats that can be expanded up to five (5) lanes.





Plantar Test Hargreaves Method



Plantar Test Glass Stand



Electronic von Frey Anesthesiometer



Randall Selitto test Paw Pressure Test Meter



Plethysmometer, Paw Volume Meter or Paw Edema Meter



Grip Strength Meter Mice and Rats



Hot Cold Plate Analgesia Meter



Quattro - 4 in 1 Electronic von Frey Plethysmometer - Randall Selitto-Grip Strength Meter



Hot plate Test Analgesia Meter Apparatus





Mouse and Rat Tail Cuff Blood Pressure Systems from 1-24 Animals

The IITC Life Science tail cuff plethysmography blood pressure systems can be configured from 1-24 animals.



Rodent Restrainers for mice and rats

IITC rodent restrainers are used with the noninvasive blood pressure tail cuff method systems for mice and rats they can also be used for tail vein injections or other studies where the animal needs to be restrained.



Incapacitance Meter Apparatus



Flowmeter/Regulators



Tail Flick Test Analgesia Meter Apparatus



Thermometer Probes











>> Animal Physiology >> Caging System

Animal Care | Systems

Highest Caging Density in the Industry

Our high-density caging helps optimize facility space, with efficient, flexible, and environmentally friendly manufacturing processes providing greenenergy savings.


EXHAUST VENTILATED CAGING SYSTEM

Features;

- Motor Free Technology
- Best environment for animals and their caregivers
- The Opti Carousel System



Optirat® Plus Cage



SMART System



Ergomice®









Optirat® GenII System

>> Human & Animal Research Teaching Equipment >> Teaching & Research Science





PowerLab 15T

Entry level integrated data recording featuring a dual Bio Amp, an isolated stimulator and 2 analog inputs.




PowerLab 26 Series

Built for precision, our 26 Series Research PowerLabs are engineered to give you high quality, reproducible data from analog signals while meeting the strictest international safety standards.



PowerLab C


PowerLab C is a digital data acquisition device that provides adaptive mains filtering, power management for peripheral devices (max 100W via USB-PD) and sub- μ S time synchronization for up to four C Series compatible USB-C devices (currently up to 32 channels).



PowerLab 26T

Integrated data recording featuring a dual Bio Amp, an isolated stimulator, trigger input, 4 analog inputs, 8 digital inputs and 8 digital outputs.





Complete System and Kits



Wireless Heart Rate Kit



EOG Kit



Exercise Physiology Kit



Human Respiratory Kit



Reflex Kit



Nerve and Muscle Kits



PowerLab C Rodent Langendorff Foundation System



Teaching Pharmacology Kits




Biochemistry Kit



Teaching & Research Science >> STEM >> Science education









Go Direct® Wide-Range Pressure Sensor



Davis Instruments AirLink® Air Quality Monitor



Go Direct® Platinum-Cell Conductivity Probe



Go Direct® Static Charge



Go Direct® CO2 Gas Sensor



Go Direct® Gas **Pressure Sensor**



Go Direct® Force and **Acceleration Sensor**



Go Direct® Centripetal Force System

The Go Direct Centripetal Force Apparatus and Go Direct Force and Acceleration Sensor make an ideal combination to explore rotational dynamics.



Go Direct® Sensor Cart



Go Direct® SpectroVis® Plus Spectrophotometer

LabQuest 3

LabQuest® 3 is a powerful, advanced, easy-to-navigate, and versatile datalogging solution for STEM students. The built-in data-collection and analysis app works with all Vernier sensors, supporting data collection hands-on in classroom, in the lab, and in the field.





Physiology Go Direct® Standard Package



Chemistry Go Direct® Starter Package



Physics Go Direct® Standard Package



Solar Energy Explorations Go Direct® Package







>> Teaching and Research Science >> Plant Physiology





DIVING-PAM-II

Underwater Fluorometer with Miniature Spectrometer

- System package with underwater spectrometer
- · Operating range up to 50 m diving depth
- · Internal PAR sensor
- · Red or blue plus far-red light



MINI-PAM-II

Photosynthesis Yield Analyzer

- · Compact housing with integrated computer
- · Internal PAR sensor
- Red and blue light versions, both including far-red light



JUNIOR-PAM

Teaching Chlorophyll Fluorometer

- Optimized for classroom teaching by small size and ease of operation.
- · Controlled and powered by PC via USB line.
- WinControl-3 software for basic and advanced experiments.
- Quantity discount for internship equipment



LEAF-STATE- ANALYZER Radiation Screening

- · Measures protection against the particularly harmful UV-B radiation
- · Probes screening at four wavebands: UV-B, UV-A, blue, and green
- Provides the stress factors chlorophyll content and photosystem II damage

Available in:









>> Plant Physiology





OS30p+ Plant Stress Meter



MPM-100 Multi-Pigment Meter



LCPro Tadvanced Portable Photosynthesis system



LCi T Compact Photosynthesis System



Soil Moisture Sensor WET-2



Soil Moisture Sensor PR2 Profile Probe



Soil Moisture Sensor ML3 ThetaProbe



Soil Moisture Sensor SM150T



Soil Moisture Sensor WET150



Data logger & meters HH2 moisture meters



Data logger & meters GP1 Data Logger



Data logger & meters DL6 Data Logger



Data logger & meters **GP2** Data Logger



SS1 SunScan Canopy **Analysis System**



WinDIAS Leaf Image Analysis System



AP4 Porometer



>> Plant Physiology





SapIP-IRT Infrared Leaf Temperature



HPFM Generation 3 High Pressure Flow Meter



DEX Fruit & Stem Growth Dendrometer



SapIP-TDP Sap Velocity System



Dynamet 2 Weather Station



HCFM-XP Gen 3 Hydraulic Conductance Flow Meter



SGDC Sap Flow Sensor



Dynagage Flow32-1K Sap Flow system



FLGS-TDP XM1000 system









>> Industrial >> Polylab





Apiezon AP100 Grease

Apiezon AP100 vacuum grease is silicone-free with PTFE, providing high lubricity. It offers eight times more lubrication than standard greases. Suitable for ambient temperatures, consider Apiezon AP101 or H Grease for higher temperatures.



Apiezon AP100 Grease

Apiezon AP101 is a versatile, silicone-free hydrocarbon grease for industrial and scientific use, with anti-seize properties for glass and metal surfaces, containing PTFE for long-lasting lubrication and protection.



Apiezon H Grease

Apiezon H Grease is a silicone-free high vacuum grease with superior 'stiction' and thermal conduction properties, suitable for high-temperature applications in scientific and industrial environments. It is approved by BAE Systems, the European Space Agency, and NASA.



Apiezon L Grease

Apiezon L Grease is a silicone and halogen-free ultra-high vacuum grease preferred by organizations such as The European Space Agency, NASA, and NATO. It has the best vapor pressure properties among Apiezon products and is ideal for ultra-high vacuum applications at ambient temperatures.



Apiezon M Grease

Apiezon M Grease is a silicone and halogenfree high vacuum grease suitable for various high vacuum applications and also used in scientific and industrial settings. It is approved for NATO use and works best at ambient temperatures. For higher temperature applications, consider Apiezon AP101 or Apiezon H Grease.



Apiezon N Grease Apiezon N Grease is silicone-free and

widely recognised and recommended as the cryogenic vacuum grease of choice. This cryogenic grease is specially formulated to exhibit craze-free performance characteristics at low temperatures and withstand frequent cycling between cryogenic temperatures as low as -273°C and +30°C.



Apiezon T Grease

Apiezon T Grease is a silicone-free medium temperature vacuum grease renowned for its quality and tenacity.

Apiezon T Grease has gained approval from prestigious organisations including NATO and the US Navy.



Apiezon PFPE 501 Grease

Apiezon PFPE 501 vacuum grease is a chemically inert, high temperature lubricant.

With an upper operating temperature of 250°C and vapour pressure of 1.3 x 10-12 at 25°C, it is robust, versatile and can be used for sealing and lubricating under the most extreme operating conditions. This includes environments where aggressive chemicals and strong oxidising agents are regularly used.











>> Cleaning Solution



For over 75 years, Alconox has been the recognized leader in detergents, used extensively the laboratory, pharmaceutical, biotech, medical device, healthcare, electronics, solar, food, nuclear, optics, cannabis and cosmetics industries. The aqueous detergents and cleaners span the range from acidic to neutral to alkaline, low and higher foaming, powder and liquid concentrates, phosphate and phosphate-free, to meet virtually any critical cleaning challenge.



Tergazyme® Enzyme-Active Powdered Detergent



Citranox® Acid Cleaner and Detergent



Liquinox® Critical Cleaning Liquid Detergent



Detonox® Ultimate Precision Cleaner

MICONOX NET OTT 1 GA (3.5)

Detonox

New packaging



Alconox® Powdered Precision Cleaner



Alcojet® Low-foaming Powdered Detergent



Citrajet® Low-Foaming Liquid



Tergajet® Low-Foaming Phosphate-Free Powder



Detergent 8® Low-Foaming Ion-Free Detergent

Solujet



Ledizolv® Lead Specific Cleaner



Luminox® Low-Foaming Neutral Cleaner



Alcotabs[®] Critical Cleaning **Detergent Tablets**

Packing size available in

- 1x4 lb box(1.8kg)
- 25 lb box (11kg)
- 9x4 lb box (9x1.8kg)
- 50 lb box (22.5kg)
- 100 lb drum (45kg)











>> Water Purification System PURITE

Purite Remote Dispenser

Ultrapure water at your fingertips

The Purite Remote Dispenser is a part of our bench-top water purification range delivering ultrapure water directly at your lab workstation. This state-of-the-art 'satellite' dispenser can be conveniently and discreetly positioned anywhere on a bench saving valuable lab space and eliminating the need to reach out to the main RO system.



Purite Fusion

For clinical laboratory water

Type I / Ultrapure water (UPW) water

The Purite Fusion is a self-contained water purification unit that delivers a flow of purified water to a consistent quality of $18M\Omega$.cm. It is ideal for the most demanding laboratory processes including life sciences, such as histology, cell and tissue culture, DNA sequencing and IVF.



Purite Labwater

Purite Labwater deionisers

Type II / Deionised (DI) water

The Purite Labwater is a simple, cost-effective option for producing low volumes of purified water between 1 and 10uS/cm on-demand.

Purite Labwater units can easily be wall-mounted and are simply connected by a conventional hose to a laboratory tap. They operate under standard water pressure, so no additional parts are required.



Purite Analyst

For clinical laboratory water Type II / Deionised (DI) water

The Purite Analyst provides a consistent supply of purified water to a quality better than $1M\Omega$.cm. It is easy to use and ideal for applications such as glassware rinsing, buffers and stains, reagent make-up, and media preparation.



Purite Mini Pure Water Boost Pump

For clinical laboratory water

The Purite Mini Pure Water Boost Pump is designed for use with a wide range of laboratory equipment, providing a consistent flow of pressurised water. Typical applications range from glass washers and environmental chambers, to humidity cabinets and autoclaves.



Purite HP

sciences.

For clinical laboratory analyser feed Type II / Deionised (DI) water

Designed for use in laboratory applications, such as HPLC, ion chromatography, atomic absorption, hydrogen generation and clinical analyser feed, the Purite HP produces a consistent flow of purified water to a quality better than $10 \text{M}\Omega.\text{cm}$.



Purite Neptune Ultimate

For clinical laboratory water

Type I / Ultrapure water (UPW) water The Purite Select Neptune Ultimate provides a high flow of consistent quality purified $18.2M\Omega$.cm ultrapure water. The advanced, self-contained unit is ideal for the most challenging laboratory applications, especially analytical and life







High-quality water is vital in labs for tasks like washing glassware and preparing solutions. Contaminated water can impact diagnostics and instrument efficiency. Maintaining precise water quality is critical for accurate testing and analysis, minimizing errors, and cutting costs.







LABQUIP

LABQUIP GROUP ASIA OFFICES Website: - www.labquipasia.com

Labquip (S) Pte Ltd

625 Aljunied Road, #03-02 Aljunied Industrial Complex, Singapore 389836 Tel: +65 6779 2266 Fax: +65 67783255

Email: mahendran@labquipasia.com



Labquip (India) Pvt Ltd, "V"

Times Square, Office No. 513, 5th Floor, Plot no.3, Sector-15, CBD Belapur, Navi Mumbai-400614, India. Tel: +91-22-41275522

Contact: Mr Sunil Pandey Email: sunil@labquipasia.com



Labquip (Thailand) Limited 799/43 Space Lat Phrao-Mengjai Village Soi Lat Phrao 80 (Janthima) Wangthonglang, Wangthonglang, Bangkok 10310, Thailand Tel: +662-539-7588, Fax: +622-539-7589/90 Contact: Chakchai Kitaweepwattana (Chak)

Email: chakchai@labquipasia.com



PT Labquip Indoprima

Ruko Prominence RJS 38D No.15 Alam Sutera - Serpong Tangerang 15810 - Indonesia www.labquipindoprima.co.id Tel: 021-29853828, 29853829 Contact:Gelli

Email: gelli@labquipasia.com



Labquip Vietnam

No 11, 125 Alley, trung Kinh Str Cau Giay District, Hanoi Vietnam Tel: +84-4-37822196, Fax: +84-4-37822197 Contact: Chakchai Kitaweepwattana (Chak)

Email: chakchai@labquipasia.com



LabIVF-Labquip Taiwan Int'L Co., Ltd

6F-17 No.26 Lane 521 Yangguang Street, Neihu District Taipei City 114, Taiwan, R.O.C. Tel: +886-22659 5717, Fax: +886-2-2659 5737

Contact: Gary Peng Email: gary@labivf.com







Labquip Philippines Units 4 & 5, 5th Floor, Borland Enterprise Center, Macaria Business Park, Carmona, Cavite, Philippines 4116 Tel: +63 (046) 419 1220

Contact: Mahendran / Amira

Email: mahendran@labquipasia.com / amira@labquipasia.com



Labquip (M) Sdn Bhd D-01-02 Block D, Sekitar 26 Enterprise, Persiaran Hulu Selangor, Seksyen 26, 40400 Shah Alam, Selangor Darul Ehsan Tel: +603-5614 1777, Fax: +603-5614 4969

Contact: Mahendran

Email: mahendran@labquipasia.com